

Date : / /  
Page :

Date : / /  
Page :










**DR. VITHALRAO VIKHE PATIL  
FOUNDATION'S  
COLLEGE OF NURSING**



## **MAINTENANCE LOG BOOK**



SR No.	Date	Dept	Equipment / problem	status	Dept I/c sign	Maintenance Remark	Remark
21.	28/7/2020	Civil	Door lock fitting at Board room	done		work completed	-
22.	28/7/2020	Maintenance	Internet connection in webinar hall	done		work completed	-
23.	08/8/2020	Electric	L.C.D. repair & Tube Set repairing	done		work completed	-
24.	28/8/2020	Civil	Door lock fitting at Board room	done		work done	-
25.	07/9/2020	Laboer dept.	cloth Bag stitching	done	Reer	done	-
26.	18/9/2020	Dhabi dept.	Bed sheets, pillow case washing	done		done	-
27.	22/9/2020	Maintenance	Computer set fitting & camera fitting cap summer 2020	done		done	-
28.	23/9/2020	Maintenance	Repair of instruments Laryngoscope 3 B.P. apparatus 1 B.N. Lab	done		done	-



SR No	Date	Dept.	Equipment / Problem	Status	Dept. F/c sign	Maintenance Remarks	Remark
29	20/10/2020	Civil dept	Cupboard repair	done	<u>Adhish</u>	work done	-
30	30/11/2020	Electric dept	Repair of electric board in for. lab	done	<u>[Signature]</u>	work done	-
31	10/11/2020	Dhabi	Class room curtain washing	done	<u>[Signature]</u>	done	-
32	14/12/2020	Civil dept	Cupboard repair in storage room	done	<u>Adhish</u>	work done	-
33	25/12/2020	Maintenance	Computer unit fitting in library	done	<u>[Signature]</u>	work done	-

M. S. Dehar  
PRINCIPAL  
Dr. V.V.P.F's College of Nursing  
Ahmednagar



Year - 2021

Date: / /  
Page:






Date: / /  
Page:

Sr no	Date	Dept.	Equipment problem	Status	Dept I/c sign	Maintenance Remarks	Remarks
1.	29/01/2021	Biomedical	Repairing / man working at manostat and GCR paediatric charging adapter	done	Mrs. Tadhar saybosh	work done	
2.	30/01/2021	Laundry	Class Room curtain washing	<u>workable</u>	Mrs. Kavita Kavita	work done	
3.	31/01/2021	Garden	Plants cutting in garden		<u>Pran</u>	done	
4.	16/02/2021	Computer	Mike & sound system repair		<del>Pran</del>	done	
5.	16/02/2021	Civil	fixing at Baner		Pran <sup>Pran</sup> Tadhar	work done	
6.	16/02/21	Electrical	Electric Board Repairing in 200 M.Sc. Class Room		<del>Pran</del>	done	
7.	17/02/21	Civil	Window Repairing library & auditorium window repairing	-	Shri Shirsath S.D.	work done	
8.	02/03/2021	Civil	Metasthan lab cylinder gate repair	-	Shri Shirsath S.D.	work done	



SR No	Date	Dept	Equipment / Problem	Status	Dept / Design	Maintenance / Repair	Remarks
9	02/03/2021	Electric	Class Room No-7 electric supply switch off.		<del>Shri Shree</del>	done	
10	31/03/21	Civil	Require. maintenance at taps at toilets (change/new tabs)		<del>Shri Shree</del>	work done	
11	08/04/21	Electrical	Repairment of electric board fan regulator, Repairment of A/C tubelight		<del>Shri Shree</del>	week done	
12	08/04/21	Civil	welding at benches, fixing fitting at wooden benches suggestion Box etc.		Shri Shree S.D	week done	
13	08/04/21	Computer	Repair & maintenance of principal laptop, Auditorium LCD, camera	done	<del>Shri Shree</del>	week done	
14	30/04/21	Civil	Colouring of benches & polishing at wooden furniture		<del>Shri Shree</del>	work completed	






SR No	Date	Dept.	Equipment / problem	Status	Dept. J/c sign.	Maintenance Report	Remarks
15	08/05/24	Biomedical	Repairing of phototherapy machine Radiant warmer in <del>CH</del> MCH lab			completed	
16	27/05/24	Electrical	fitting of switches Board @ electricity lines at MCH lab			work done	
17	08/06/24	Computer	CPR Dummy adaptor with display (admit with cable paediatric with cable handed over to maintenance dept.		Mr. Jadhav Santosh 	work done	
18	08/06/24	Electrical	Repair at AC			work completed	
19	14/06/24	Biomedic	Xerox machine repair		Mr. Ghoopade Sachin	completed	
20	26/06/24	Electrical	fitting of electric switches Board in library & replacement of two extension Board			work done	



PRINCIPAL

Dr. V.V.P.F's College of Nursing  
Ahmednagar



SR No	Date	Dept.	Equipment / Problem	Status	Dept. H.C. sign.	Maintenance Report	Remarks
21	07/07/21	Civil	Workout for overflow at main water near auditorium & fitting of new glass window	-	<u>idmish</u>	work done	
22	07/07/21	Biomedical	Repairment of LCO at step hall / seminar hall	-	Mr. Chaleas Abhijit	work done	
23	17/07/21	Civil	Single touch up / single coat colour to 4 labs of Nsg College CMSN, AV, MCH, Community	-	Mr. Shesath	work done	
24	20/8/21	Electrical	Repair of tube lights, fans in Nutrition, A.V. aids, MCH library etc.	-		work done	
25	24/8/21	Electrical	Required fitting at switch board & ceiling fans, phototherapy machine connection wires	-		work done	
26	15/09/21	Electrical	Repair of fans, tubes, electrical board in lab.	-		work done	



SR No.	Date	Dept	Equipment / Problem	Status	Dept H/c sign	Maintenance Report	Remark
27	22/09/21	Biomedical	Refrigerator, repairment fitting at computer, fitting at top repairment	-		recess date	-
28	30/09/21	Computer	Repairment at computers in computer lab, connect to net connection cable to library computers	-	Mr. Gharpade	recess date	-







*Acharya*  
Principal  
Dr.V.V.P.F's College of Nursing  
Ahmednagar



Jan 2022

Date: / /  
Page:

Date: / /  
Page:

SR No	Date	Dept	Equipment / Problem	Status	Dept J/C sign	Maintenance Remark	Remark
1	03/01/22	Electrical	Department at student section tube light	-		work done	
2	06/01/22	Civil	Maintenance at Board Room pop & colour	-		work completed	
3	24/01/22	Computer	land line phone repairing	-		work completed	
4)	07/02/22	Computer	LCD connector not working	-	Mr Chospade	work completed	
5)	14/03/22	Computer	Need at computer board room	-	Mr Chospade 	done	
6	06/04/22	Computer	fitting at LCD at conference hall	-		done	
7	18/04/22	Elect.	to fix flex at auditorium repairment at notice stand	-	Mr. S. Sagar	done	
8	19/04/22	Biomedica	Repair telephone	-		done	









SR No.	Date	Dept	Equipment/Problem	status	Dept F/c sign	Maintenance Report	Remark
9.	20/04/22	aircon	Repair water base in library		Shri Dhigude <del>Shigude</del>	done	
10	22/04/22	aircon	Colouring of college benches		Shreevath <del>Shreevath</del>	done	
11.	10/05/22	electrical	fan regular repair in auditorium.		<del>Shreevath</del>	work done	
12	26/05/22	aircon	aircon colouring library & class Room No. 94		Shri Shreevath S. D. <del>Shreevath</del>	done	
13.	7/06/22	aircon	fan repair in female washrooms.		<del>Shreevath</del>	work completed	
		electrical	tube light fitting		<del>Shreevath</del>	done	
14	09/06/22	electrical	tube light fitting		<del>Shreevath</del>	done	
		aircon	Common washrooms fan repair, Basin repair		Shri Basode		

Pr. Acharya

Principal



SR No	Date	Dept	Equipment / Problem	Status	Dept / Csign	Maintenance Remark	Remarks
15)	19/07/22	Electrical	Professor's cabin library tube light repair	-		done	-
16.	20/7/22	Electrical	tube light repair	-		done	-
17.	04/08/22	Computer	Computer set repair (2)	-	Mr. Chorpade Sachin, \$	done	-
18.	17/8/22	Thaki	washing curtains	Done.		Done.	-

  
Principal  
Dr.V.V.P.F's College of Nursing  
Ahmednagar





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

## Maintenance Call Form

Outward No:- **4101**

Date: 29/01/2021

Time: 2:42 pm

Name of the Faculty/ Staff/ Concerned User: - Mr. Tadke Navish

Designation :- Lecturer Department:- Nursing Location of Complaint:- CHN Lab.

Description of Expected Maintenance / Repair Work: - Repairing non-working of  
of manostat and ECG predictor of, paediatric charging adapter.

Call Related to: Civil

Electrical

Computer

Biomedical

Sign. of Faculty / Staff

HOD

Principal

Administrative Officer

### For Office Use

Outward No:-

Date: 29/01/2021

Time:

1) Job allotted to the Engineer / Technician (Name): Jadhav Sandesh

Mobile No: 9730380431

2) Call Verification Details:

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable
<input checked="" type="checkbox"/>				

Time required to solve Complaint: - Some Days Tentative Repairing / Maintenance Cost: -     

for

Signature of HOD

Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: -

Sign. of Concerned User

Signature of HOD

Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

## Maintenance Call Form

Outward No:- **4103**

Date: **16/02/2021**

Time:

Name of the Faculty/ Staff/ Concerned User: - **Mr. Nilesh R. Mhalice**

Designation :- **Asst. prof.** Department:- **Nursing** Location of Complaint:- **Htg. COH, Auditorium**

Description of Expected Maintenance / Repair Work: - **Fixing of Banner set for lamp lighting ceremony on 16.02.2021 on 16.02.2021**

Call Related to: Civil  Electrical  Computer  Biomedical

Sign. of Faculty / Staff

HOD

Principal

Administrative Officer

### For Office Use

Outward No:-

Date: **16/2/2021**

Time: **10.0**

1) Job allotted to the Engineer / Technician (Name): **Shri Anil D. S. D.**

Mobile No: **9875687505**

2) Call Verification Details: **Vikas Jadhav**

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level <i>contractor work</i>	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

Signature of HOD

Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical





Dr. Vitthalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

## Maintenance Call Form

Outward No:- **4108**

Date: **02/03/2021**

Time:

Name of the Faculty/ Staff/ Concerned User: - \_\_\_\_\_

Designation :- \_\_\_\_\_ Department:- नार्सिंग कॉलेज पोपटराव Location of Complaint:- classroom-7

Description of Expected Maintenance / Repair Work: - Nursing collage

कॉलेज रूम-7 - चे साठवा वॉटर सफाई

Call Related to: Civil  Electrical  Computer  Biomedical

12/12/2021  
21/3/2021

Sign. of Faculty / Staff \_\_\_\_\_ HOD Principal Administrative Officer \_\_\_\_\_

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_

Mobile No:

2) Call Verification Details: \_\_\_\_\_

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

for Recd  
Dr. V. P.  
21/3/21  
Signature of HOD  
Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	<input checked="" type="checkbox"/> Institute of Nursing Education	Hospital
-----------------	--------------------------	--	----------

## Maintenance Call Form

Outward No:- **4109**

Date: **05/03/2021**

Time: **3.45pm**

Name of the Faculty/ Staff/ Concerned User: - Mr. Nilesh R. Mhalke

Designation :- Asst. prof. Department:- Nursing Location of Complaint:- Nursing college.

Description of Expected Maintenance / Repair Work: - Arrangement of mice & sound system on 08.03.2021 at 9.30 am to 4.00 pm

Call Related to: Civil  Electrical  Computer  Biomedical

[Signature]  
Sign. of Faculty / Staff

[Signature]  
HOD

[Signature]  
Principal

[Signature]  
Administrative Officer

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_

Mobile No: 

--	--	--	--	--	--	--	--	--	--

2) Call Verification Details: \_\_\_\_\_

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

[Signature] **6.3.21**  
Signature of HOD **1.10 PM**

Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical





Dr. Vitthalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education ✓	Hospital
-----------------	--------------------------	----------------------------------	----------

### Maintenance Call Form

Outward No:- **4112**

Date: 2 / 4 / 21

Time: 10:41

Name of the Faculty/ Staff/ Concerned User: - Nirajkumar A.

Designation: - A. J. Dept. Department: - Physiotherapy Location of Complaint: - Physiotherapy College building

Description of Expected Maintenance / Repair Work: - replacement of electric board of regulator of fan, replacement of AC, tube light etc.

Call Related to: Civil  Electrical  Computer  Biomedical

Sign. of Faculty / Staff: [Signature] HOD: [Signature] Principal: [Signature] Administrative Officer: [Signature]

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_

Mobile No: 

--	--	--	--	--	--	--	--	--	--

2) Call Verification Details: \_\_\_\_\_

Date of Verification: / /

### Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

*for Repair Done 09/4/2021*  
Signature of HOD  
Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

Received on 07/07/21 11:15 am

### Maintenance Call Form

Outward No:- **4120**

Date: 10/6/21

Time: 2:30 pm

Name of the Faculty/ Staff/ Concerned User: - Mr. A. K. Patil

Designation :- Asst. Prof. Department :- Physiotherapy Location of Complaint :- Library

Description of Expected Maintenance / Repair Work: - Xerox m/c

Call Related to: Civil  Electrical  Computer  Biomedical

Sign. of Faculty / Staff: [Signature] HOD: [Signature] Principal: [Signature] Administrative Officer: [Signature]

#### For Office Use

Outward No:-

Date: 07/07/21

Time:

1) Job allotted to the Engineer / Technician (Name): Mr. Ghorpade Sachin

Mobile No: 7757849511

2) Call Verification Details: It is not repairable 8 to 10 yr. old spares not available confirm by supplier. It is institute 1st xerox m/c. Date of Verification: 07/07/21

Maintenance / Repair Work Status :- Not repairable.

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable
				<input checked="" type="checkbox"/>

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

Signature of HOD

Civil/Electrical/Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD

Civil/Electrical/Computer/Biomedical



Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

### Maintenance Call Form

Outward No:- **4121**

Date: **26/6/21**

Time: **11.00AM**

Name of the Faculty/ Staff/ Concerned User: - **Mandlik Sunita P.**

Designation :- **Asst. Librarian** Department:- **Nursing college** Location of Complaint:- **Library**

Description of Expected Maintenance / Repair Work:- **fitting of new electric switch board in library & repairment of two extension board**

Call Related to: Civil  Electrical  Computer  Biomedical

Sign. of Faculty / Staff **Sunita** HOD **P. Y. e** Principal **S. H. K.** Administrative Officer

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_

Mobile No:

2) Call Verification Details: **09 बार्ड रिपेरी करून दिना 16 Amp**

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

**Dmgs**  
Signature of HOD  
Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical

Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

### Maintenance Call Form

Outward No:- **4122**

Date: **7/7/21**

Time:

Name of the Faculty/ Staff/ Concerned User: - Mesekas: 3:A

Designation :- \_\_\_\_\_ Department:- Nursing Location of Complaint:- Nursing college

Description of Expected Maintenance / Repair Work: - Skayout for overflowing rain water near auditorium & fitting of new glass window

Call Related to: Civil  Electrical  Computer  Biomedical

Sign. of Faculty / Staff [Signature]     
 HOD [Signature]     
 Principal [Signature]     
 Administrative Officer [Signature]

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_

Mobile No: 

--	--	--	--	--	--	--	--	--	--

2) Call Verification Details: \_\_\_\_\_

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days      Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

[Signature]  
Signature of HOD  
Civil/Electrical/Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College

College of Physiotherapy

Institute of Nursing Education

Hospital

## Maintenance Call Form

Outward No:- **4123**

Date: **7/7/21**

Time:

Name of the Faculty/ Staff/ Concerned User: - Mesekas. S.H.

Designation :- \_\_\_\_\_ Department:- Nursing Location of Complaint:- NSQ college

Description of Expected Maintenance / Repair Work: - 2 step hall / seminar hall. Tomosson 8/7/21. programme 20/11/21. (Time-?)

Call Related to: Civil

Electrical

Computer

Biomedical

Sign. of Faculty / Staff

HOD

Principal

Administrative Officer

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): Mr. Bhalerao Abhijit

Mobile No: 9970742675

2) Call Verification Details:

Date of Verification: / /

Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

Signature of HOD

Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD

Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education <input checked="" type="checkbox"/>	Hospital
-----------------	--------------------------	--	----------

## Maintenance Call Form

Outward No:- **4126**  
 Date: 24/8/2021  
 Time:

Name of the Faculty/ Staff/ Concerned User: - Mr. Tadke Manish  
 Designation :- Lecturer Department:- Nursing College Location of Complaint:- Laboratory (MCH)  
 Description of Expected Maintenance / Repair Work: - Required Fitting of Switch Boards and Ceiling Fans + Phototherapy machine Connection Wires (E).

Call Related to: Civil  Electrical  Computer  Biomedical

[Signature]  
 Sign. of Faculty / Staff                      HOD                      Principal                      Administrative Officer

### For Office Use

Outward No:-  
 Date: / /  
 Time:

1) Job allotted to the Engineer / Technician (Name): \_\_\_\_\_  
 Mobile No: 

--	--	--	--	--	--	--	--	--	--

2) Call Verification Details: \_\_\_\_\_  
 \_\_\_\_\_  
 Date of Verification: / /

### Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days      Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

[Signature]  
 Signature of HOD  
 Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
 Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_  
 \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
 Civil/Electrical /Computer/Biomedical





Dr. Vithalrao Vikhe Patil Foundation's

# Dr. Vikhe Patil Memorial Hospital, Ahmednagar

Vilad Ghat, Ahmednagar. ☎ : (0241) 2778042, 2777059.

Medical College	College of Physiotherapy	Institute of Nursing Education	Hospital
-----------------	--------------------------	--------------------------------	----------

### Maintenance Call Form

Outward No:- **4130**

Date: **30/09/21**

Time: **10 am**

Name of the Faculty/ Staff/ Concerned User:- Masekar. S.H.

Designation :- \_\_\_\_\_ Department:- \_\_\_\_\_ Location of Complaint:- Nursing college

Description of Expected Maintenance / Repair Work: - Repairment of computers in computer lab, connect to Net connection cable to library computers.

Call Related to: Civil  Electrical  Computer  Biomedical

[Signature]  
Sign. of Faculty / Staff

[Signature]  
HOD

[Signature]  
Principal

[Signature]  
Administrative Officer

### For Office Use

Outward No:-

Date: / /

Time:

1) Job allotted to the Engineer / Technician (Name): Mr. Aharpade & Mr. Bholerac

Mobile No:

2) Call Verification Details: \_\_\_\_\_

Date of Verification: / /

### Maintenance / Repair Work Status :-

Departmental Level	Outsource / External Service Agency	Warranty Guarantee	AMC CMC	Not Repairable

Time required to solve Complaint: - \_\_\_\_\_ Days Tentative Repairing / Maintenance Cost: - \_\_\_\_\_

[Signature]  
Signature of HOD

Civil/Electrical /Computer/Biomedical

Approved / Not Approved  
Administrative Officer

Remark after Maintenance / Repair Work: - \_\_\_\_\_

Sign. of Concerned User

Signature of HOD  
Civil/Electrical /Computer/Biomedical